

Contents

Preface	vii
Conference Editors	ix
Congress Committees	xi

PART A: APPLIED SURFACE SCIENCE

I. QUANTITATIVE SURFACE AND INTERFACE ANALYSIS

Quantitative XPS: non-destructive analysis of surface nano-structures S. Tougaard	1
Auger electron peaks of Cu in XPS M. Jo and A. Tanaka	11
Intrinsic Auger signal profiles derived by Monte Carlo analysis Z.-J. Ding, R. Shimizu and K. Goto	15
The influence of elastic scattering on the concentration dependence of the photoelectron line intensity I.S. Tilinin, A. Jablonski and B. Lesiak-Orlowska	20
True Auger spectral shapes (standards) Y. Takeichi, K. Goto and V. Gaidarova	25
Comparison of AES chemical shifts with XPS chemical shifts T. Sekine, N. Ikeo and Y. Nagasawa	30
Simultaneous determination of composition and thickness of thin iron-oxide films from XPS Fe 2p spectra P.C.J. Graat and M.A.J. Somers	36
A general procedure for extracting quantitative depth information from take-off-angle-resolved XPS and AES W.H. Gries	41
Calculations of 'effective' inelastic mean free paths in solids S. Tanuma, S. Ichimura and K. Yoshihara	47
Auger electron spectroscopy measurement of electron attenuation lengths using multilayer systems M. Suzuki, K. Mogi and H. Takenaka	51
XPS depth profiling by changing incident X-ray energy H. Shimada, N. Matsubayashi, M. Imamura, T. Sato and A. Nishijima	56
Enhanced Raman scattering from copper phthalocyanine on Pt by use of a Weierstrass prism M. Futamata, E. Keim, A. Bruckbauer, D. Schumacher and A. Otto	60
Surface mechanical property testing by depth sensing indentation J.L. Meneve, J.F. Smith, N.M. Jennett and S.R.J. Saunders	64
Depth-dependent non-destructive analysis of thin overlayers using total-reflection-angle X-ray spectroscopy N. Shibata, S. Okubo and K. Yonemitsu	69
High sensitivity of positron-annihilation induced Auger-electron spectroscopy to surface impurities T. Ohdaira, R. Suzuki, T. Mikado, H. Ohgaki, M. Chiwaki, T. Yamazaki and M. Hasegawa	73
High depth resolution depth profiling of metal films using SIMS and sample rotation D.E. Sykes, A. Chew, J. Hems and K. Stribley	77

Determination of the interface region in multilayer Si/Mo by Auger depth profile and factor analysis T. Morohashi, T. Hoshi, H. Nikaido and M. Kudo	84
Analysis of Auger sputter depth profiles with a resolution function T. Kitada, T. Harada and S. Tanuma	89
Oxide thin films formed during rotational AES sputter depth profiling of Ni/Cr multilayers using oxygen ions A. Zalar, E.W. Seibt and P. Panjan	92
Damage profiling of Ar ⁺ sputtered Si(100) surface by medium energy ion scattering spectroscopy J.C. Lee, C.S. Jeong, H.J. Kang, H.K. Kim and D.W. Moon	97
Thickness dependent electron stimulated desorption of thin epitaxial films of alkali halides M. Szymonski, J. Kolodziej, P. Czuba, P. Piatkowski, P. Korecki, Z. Postawa and N. Itoh	102
UPS studies of conducting polymers: dopant effect on conjugated polymer systems sensitive to conductivity S. Takemura, Y. Kitagawa, H. Kato and Y. Nakajima	107
Surface characterization of cell adhesion controlled polymer modified by ion bombardment A. Nakao, M. Kaibara, M. Iwaki, Y. Suzuki and M. Kusakabe	112
Structural properties of epitaxially grown perfluoro <i>n</i> -alkane thin films prepared by vapor deposition K. Ishida, T. Horiuchi, S. Kai and K. Matsushige	116
Photoresist characteristics of polyurea films prepared by vapor deposition polymerization. Depolymerization of polyurea M. Iijima, M. Sato and Y. Takahashi	120
Molecular orientation of polyimide films determined by an optical retardation method K. Sakamoto, R. Arafune, S. Ushioda, Y. Suzuki and S. Morokawa	124
Secondary ion emission from Langmuir-Blodgett (LB) films investigated by time-of-flight secondary ion mass spectrometry M. Kudo, S. Yamada, S. Yoshida, T. Watanabe and T. Hoshi	129
Ion induced alteration at Pb-Sn alloy surface investigated by Auger electron spectroscopy and X-ray photoelectron spectroscopy M. Kudo, A. Ishijima and T. Morohashi	134
Influence of ion-implantation on native oxidation of Si in a clean-room atmosphere F. Yano, A. Hiraoka, T. Itoga, H. Kojima, K. Kanehori and Y. Mitsui	138
Surface structure analysis of dispersed metal sites on single crystal metal oxides by means of polarization-dependent total-reflection fluorescent EXAFS W.-J. Chun, K. Asakura and Y. Iwasawa	143
Luminescent properties of an anodically oxidized P-doped silicon wafer M. Iwaso and T. Arakawa	147
Submicron particle analysis by the Auger microprobe (FE-SAM) H. Ito, M. Ito, Y. Magatani and F. Soeda	152
Determination of Al ₂ Ga _{1-x} As Auger sensitivity factors W.D. Chen and Y.D. Cui	156
The surface and interface reaction of metal thin film on sapphire substrate H.J. Kang, C.H. Kim, N.S. Park and M.W. Kim	160

II. SURFACE PROCESSES AND PHENOMENA

Effect of different surface treatments on the precipitation of boron nitride for stainless steel SUS304 Y. Suzuki, T. Homma, M. Minato and Y. Itoh	165
Ga migration process in Au film on (100) GaAs under temperature treatment in vacuum T.A. Bryantseva, D.V. Lioubtchenko and V.V. Lopatin	169

Temperature-programmed desorption of positive ions and neutral molecules from alkali halide layers deposited on a metal surface	
H. Kawano, S. Kamidoi, H. Shimizu, K. Ushimaru and H. Asada	174
Heating effects on modifying carbon surface by reactive plasma	
Y. Izumi, M. Katoh, T. Ohte, S. Ohtani, A. Kojima and N. Saitoh	179
The effect of EB irradiation with and without hot-jet Cl_2 on an ultra-thin GaN layer for selective etching	
S. Yoshida, M. Sasaki and T. Ishikawa	184
A modified surface of titanium and its vacuum characteristic	
T. Homma, M. Minato, Y. Itoh, S. Akiya and T. Suzuki	189
Empirical formulae of the threshold temperature range for dissociative positive ionization of alkali halides on heated metal surfaces	
H. Kawano, K. Ohgami, S. Matsui and Y. Kitayama	193
Thermal positive ion production from thallium chloride molecules impinging upon a tungsten surface heated in high vacua	
H. Kawano, K. Ohgami and N. Serizawa	199
Effect of gas adsorption on the segregation behavior of substrate Cu on Ti film	
M. Yoshitake and K. Yoshihara	203
Quantitative relationship between the work function and transfer ratio of a potassium-adsorbed MIM cathode	
T. Kusunoki and M. Suzuki	207
Adsorption and thermal decomposition of diethyltellurium on GaAs(100)	
S.I. Gheyas, M. Nishio, T. Urisu and H. Ogawa	211
Behavior of zirconium on $\text{ZrO}/\text{W}(100)$ surface	
H. Satoh, H. Nakane and H. Adachi	216
Sn segregation to the low index surfaces of a copper single crystal	
J. du Plessis and E.C. Viljoen	222
Investigation of characteristics of carbon materials with various structures modified by plasmas using plasma diagnostics and material-surface analysis	
M. Katoh, Y. Izumi, H. Kimura, T. Ohte, A. Kojima and S. Ohtani	226
Hydrogen desorption characteristics of composite Co-TiN nanoparticles	
Y. Sakka and S. Ohno	232
The correlation between surface charge distribution and flashover properties of alumina surface in vacuum	
Tumiran, S. Kobayashi, M. Maeyama, H. Imada and Y. Saito	238
Charge-up and charge compensation on monochromatized X-ray photoelectron spectroscopic measurements of alumina and glass	
H. Tomizuka and A. Ayame	243
III. OXIDATION AND OXIDIC MATERIALS	
Oxide thickness dependence of photocurrent for the GeO_2/Ge film system	
Y. Matsuo and K. Oishi	248
Water vapor effects on the TeO_2/Te thin film conductance	
S. Suehara, T. Hatano and A. Nukui	252
NO interaction with thermally activated CaO and SrO surfaces	
Y. Yanagisawa	256
Surface oxygen and electrical resistance of $\text{YBa}_2\text{Cu}_3\text{O}_x$	
S. Saito, M. Ishihara, T. Tani, T. Maeda, N. Watanabe, I. Rittaporn and N. Koshizuka	260
Angular resolved EPMA analysis of thin films prepared by pulsed laser ablation of $\text{CdWO}_4(010)$	
K. Tanaka, N. Yokota, N. Shirai, Q. Zhuang and R. Nakata	264

Structural fluctuation of SiO_2 network at the interface with Si Y. Sugita, S. Watanabe, N. Awaji and S. Komiya	268
Characterization of freeze-dried powders prepared by alkoxide route for YBCO superconductors T. Tachiwaki, J. Sugimoto, T. Ito and A. Hiraki	272

IV. INSTRUMENTAL DEVELOPMENTS

New-type focused fast atom beam (F-FAB) source and evaluation of emitted beam density distribution M. Hatakeyama, I. Nagahama, K. Ichiki, M. Nakao and Y. Hatamura	277
Simulation of geometrical aberration and beam shape of scanning X-ray probe H. Iwai, R. Oiwa, P.E. Larson and M. Kudo	283
Development of high spatial resolution Auger microscope as applied to semiconductor analysis T. Yamada, M. Kudo, Y. Ando, T. Sekine and Y. Sakai	287
A new type of RHEED apparatus equipped with an energy filter Y. Horio, Y. Hashimoto and A. Ichimiya	292
Apparatus for positron-annihilation-induced Auger electron spectroscopy with a pulsed positron beam R. Suzuki, T. Ohdaira, T. Mikado, H. Ohgaki, M. Chiwaki and T. Yamazaki	297
Time-resolved detection of laser-ablated particles based on intensity decrease of cw probe laser beam M. Hattori, S. Sekine, T. Ooie and H. Nonaka	301
Design of an ultrahigh vacuum compatible system for studying the influence of acoustic waves on surface chemical processes T. Mitrelias, V.P. Ostianin, M. Gruyters and D.A. King	305
Ultrahigh vacuum system for atomic-scale planarization of 6 inch $\text{Si}(001)$ substrate K. Idota, M. Niwa and I. Sumita	311

V. PARTICLE-SOLID INTERACTION

Processes in low-energy ion-surface collisions: preferential sputtering, defect and adatom formation H. Gnaser	316
Preferential sputtering and surface segregation of CuZr alloys H.J. Kang, C.H. Kim, N.S. Park, D.J. O'Connor and R. MacDonald	329
Dissociative scattering of low-energy SiF_3^+ and SiF^+ ions (5–200 eV) on $\text{Cu}(100)$ surface H. Yamamoto, Y. Baba and T.A. Sasaki	333
Monte Carlo simulation of ion-induced kinetic electron emission from a metal surface J. Kawata and K. Ohya	338
Fundamental study on powder-scattering in positive- and negative-ion implantation into powder materials H. Tsuji, J. Ishikawa, H. Itoh, Y. Toyota and Y. Gotoh	342
Investigation of the physical and chemical interaction of a low energy oxygen ion beam with oxide superconducting films G. Pindoria, M. Badaye, F. Wang, K. Kawaguchi and T. Morishita	347
Angular distribution of particles sputtered from GaAs by Ar^+ and Xe^+ ion bombardment T. Aoyama, M. Tanemura and F. Okuyama	351
Soft X-ray emissions by highly charged ions on solid surfaces: Mo and Ta surfaces T. Emoto, K. Komatsu, A. Ichimiya, S. Ninomiya and M. Sekiguchi	355
Charging phenomenon of insulators in negative-ion implantation Y. Toyota, H. Tsuji, S. Nagumo, Y. Gotoh and J. Ishikawa	360

VI. THIN FILMS FOR SENSORS

Analysis of the sensing mechanism of tin dioxide thin film gas sensors using the change of work function in flammable gas atmosphere

B. Yea, R. Konishi, T. Osaki, S. Abe, H. Tanioka and K. Sugahara 365

VII. TUNNELING AND ELECTRON MICROSCOPY

Development of ion irradiation system for in situ observation of ion irradiated semiconductor surfaces by ultra high vacuum scanning tunneling microscope

J. Ishikawa, H. Tsuji, K. Kameyama, S. Shimada and Y. Gotoh 370

Roughness study of ion-irradiated silica glass surface

K. Oyoshi, S. Hishita, K. Wada, S. Suehara and T. Aizawa 374

Field emission from transition metal nitride

M. Endo, H. Nakane and H. Adachi 378

PART B. ELECTRONIC MATERIALS AND PROCESSING

I. SEMICONDUCTOR SURFACE DYNAMICS

Molecular beam epitaxy of $\text{GaAs}/\text{Al}_x\text{Ga}_{1-x}\text{As}/\text{In}_y\text{Ga}_{1-y}\text{As}$ heterostructures for opto-electronic devices: control of growth parameters

K. Köhler 383

Surface chemistry of materials deposition at atomic layer level

T. Suntola 391

CBE-grown high-quality GaAs on Si substrate

H. Uchida, M. Adachi, H. Nishikawa, T. Egawa, T. Jimbo and M. Umeno 399

Nitridation of GaAs surfaces using nitrogen molecules cracked by a hot tungsten filament

T. Makimoto and N. Kobayashi 403

Infrared external reflection spectroscopy of self-assembled monolayer films on Si substrate with a buried metal layer (BML) structure

Y. Kobayashi and T. Ogino 407

In situ observation of nitridation of GaAs (001) surfaces by infrared reflectance spectroscopy

K. Uwai, Y. Yamauchi and N. Kobayashi 412

Decomposition of triethylindium (TEI) on GaP(001) surface studied by TPD, XPS and RHEED

J. Murata, T. Takeuchi, Y. Suzuki, N. Sanada and Y. Fukuda 417

II. SILICON OXIDATION AND PASSIVATION

Initial stage of oxidation of Si(100) surfaces in dry oxygen

K. Inanaga, T. Nakahata, T. Furukawa and K. Ono 421

Atomically flat, ultra thin- $\text{SiO}_2/\text{Si}(001)$ interface formation by UHV heating

M. Niwa, K. Okada and R. Sinclair 425

Initial oxidation of Si(311) surfaces studied by high-resolution electron energy loss spectroscopy

H. Ikeda, T. Yamada, K. Hotta, S. Zaima and Y. Yasuda 431

High purity ozone oxidation on hydrogen passivated silicon surface

A. Kurokawa and S. Ichimura 436

STM analysis of wet-chemically prepared H-Si(001) surface

Y. Morita and H. Tokumoto 440

Oxygen adsorption on hydrogen-preadsorbed Si(111)7 × 7 observed by second harmonic generation (SHG) K. Nakamura, S. Ichimura and H. Shimizu	444
Growth kinetics of thermal oxidation process on Si(100) by real time ultraviolet photoelectron spectroscopy Y. Enta, Y. Takegawa, M. Suemitsu and N. Miyamoto	449
Initial stages of oxidation of hydrogen-terminated Si surface stored in air T. Miura, M. Niwano, D. Shoji and N. Miyamoto	454
Doping dependence of second harmonic generation from native oxide/Si(111) interfaces H. Hirayama, K. Watanabe and M. Kawada	460

III. EPITAXY: GROWTH MECHANISM

Real-time analysis of III-V-semiconductor epitaxial growth W. Richter and J.-T. Zettler	465
Epitaxial growth of GaAs on HF-treated Si substrates Y. Uchida, J. Minemura, Y. Yazawa and T. Warabisako	478
GaAs-based LED on Si substrate with GaAs islands active region by droplet-epitaxy Y. Hasegawa, T. Egawa, T. Jimbo and M. Umeno	482
Novel method of strain-relaxed Si _{1-x} Ge _x growth on Si(100) by MBE H. Iwano, K. Yoshikawa, A. Kojima, K. Hayashi, S. Zaima and Y. Yasuda	487
Si epitaxial growth at low temperatures using remote plasma process A. Yoshida, K. Utsumi and A. Ganjoo	491
Routine measurement of the absolute As ₄ flux in a molecular beam epitaxy system with conventional RHEED equipment Ch. Heyn and M. Harsdorff	494
Synthesis of metastable group-IV alloy semiconductors by ion implantation and ion-beam-induced epitaxial crystallization N. Kobayashi, M. Hasegawa, N. Hayashi, H. Katsumata, Y. Makita, H. Shibata and S. Uekusa	498
Atomic structure analysis of the interfaces in Si/Ge superlattices K. Sumitomo, T. Nishioka and T. Ogino	503
Comparison of MOCVD and MBE semiconductor superlattices for the evaluation of depth resolution in AES and SIMS M. Furuya, M. Soga and H. Takano	508

IV. SEMICONDUCTOR INTERFACES AND CONTACTS

Co overlayer formation process on Si(100)2 × 1 studied by SR-PES T. Jikimoto, C. Heck, K. Komoku, M. Hirai, M. Kusaka and M. Iwami	513
Behavior of ultrathin layers of Co on Si and Ge systems K. Prabhakaran and T. Ogino	518
Valence band structure of metal silicides modified by argon ion implantation S. Yamauchi, Y. Hasebe, H. Ohshima, T. Hattori, M. Hirai, M. Kusaka and M. Iwami	522
Electrical properties of metal/Si _{1-x} Ge _x /Si(100) heterojunctions H. Shinoda, M. Kosaka, J. Kojima, H. Ikeda, S. Zaima and Y. Yasuda	526
Microstructure studies of PdGe/Ge ohmic contacts to n-type GaAs formed by rapid thermal annealing W.D. Chen, X.L. Xie, Y.D. Cui, C.H. Chen and C.C. Hsu	530

V. ULSI CONTACTS AND PROCESS INTEGRATION

Technology development strategies for the 21st century M.T. Bohr	534
High-rate deposition of high-quality Cu film with LPCVD K. Numajiri, T. Goya, R. Tobe, O. Okada, N. Hosokawa, C. Mu, N. Cox, C. Scott and J. Yu	541
Low pressure MOCVD of TiN thin films S.W. Kim, H. Jimba, A. Sekiguchi, O. Okada and N. Hosokawa	546
A nondestructive analysis technique for residual thin films in deep-submicron contact holes K. Ninomiya, T. Kure, Y. Sudo, K. Kuroda and H. Todokoro	551
Annealing behavior of phosphorus in native oxide films on heavily phosphorus doped silicon W.B. Ying, Y. Mizokawa, Y.B. Yu, Y. Kamiura, M. Iida and K. Kawamoto	556
Phosphorus redistribution in the surface region of heavily phosphorus doped silicon Y. Mizokawa, W.B. Ying, Y.B. Yu, Y. Kamiura, M. Iida and K. Kawamoto	561

VI. SURFACE CHEMISTRY OF MATERIALS

Selective epitaxial Si based layers and TiSi_2 deposition by integrated chemical vapor deposition J.L. Regolini, J. Margail, S. Bodnar, D. Maury and C. Morin	566
In-situ IR and mass spectroscopic study of the $\text{Al}(\text{CH}_3)_2\text{H}/\text{a-Si:H}$ reaction processes T. Wadayama, Y. Maiwa, H. Shibata and A. Hatta	575
Low temperature etching of Si and PR in high density plasmas M. Puech and Ph. Maquin	579
Deep trench etching in silicon with fluorine containing plasmas R.D. Mansano, P. Verdonck and H.S. Maciel	583
CHF_3 adsorption and decomposition on clean and oxygen covered Al(111) H. Kawada, S. Reiff and J.H. Block	587
Photoluminescence enhancement of $(\text{NH}_4)_2\text{S}_x$ passivated InP surface by rapid thermal annealing W.D. Chen, X.Q. Li, L.H. Duan, X.L. Xie and Y.D. Cui	592
Surface barriers formation mechanism of the chemically etched CdTe(111) polar surfaces and gold interfaces T. Takeuchi, T. Kore-eda and A. Ebina	596
A theoretical analysis of temperature dependence on hydrogenated amorphous silicon thin-film transistors with the consideration of resistance of the a-Si:H film layer as a function of temperature B.-Y. Chen, J.-R. Chen, F.-L. Jenq and C.-S. Hong	601
Infrared study of chemistry of Si surfaces in etching solution M. Niwano, T. Miura, R. Tajima and N. Miyamoto	607
Carbon Auger peak shape measurements in the characterization of reactions on (001) diamond P.E. Viljoen, W.D. Roos, H.C. Swart and P.H. Holloway	612
Characterization of MOCVD-grown GaAs on Si by spectroscopic ellipsometry G. Yu, T. Soga, T. Jimbo and M. Umeno	617

VII. EPITAXIAL GROWTH OF WIDE BANDGAP SEMICONDUCTORS

ZnSe crystal growth by radical assisted MOCVD Y. Hatanaka, T. Aoki, M. Morita and Y. Nakanishi	621
Correlation between cathodoluminescence and structural defects in $\text{ZnS}/\text{GaAs}(100)$ and $\text{ZnSe}/\text{GaAs}(100)$ studied by transmission electron microscopy T. Mitsui, N. Yamamoto, J. Yoshino, T. Tadokoro, S. Ohta, K. Yanashima and K. Inoue	625

Aluminum doping of ZnTe grown by MOVPE S.I. Gheyas, S. Hirano, M. Nishio and H. Ogawa	634
Preparation of blue-emitting $\text{SrGa}_2\text{Se}_4\text{:Ce}$ thin films by multi-source deposition Y. Nakanishi, F. Shiba, K. Sowa, H. Tatsuoka, H. Kuwabara, T. Nakamura and Y. Hatanaka	639
Microwave plasma assisted LCVD growth and characterization of GaN B. Zhou, X. Li, T.L. Tansley and K.S.A. Butcher	643
Growth of high-quality ZnTe layers by MOVPE S.I. Gheyas, S. Hirano, M. Nishio and H. Ogawa	647
XPS analysis of chemically etched II-VI semiconductor surfaces A. Kita, M. Ozawa and C.D. Gutleben	652
Preparation and photoluminescent characteristics of $\text{Zn}_x\text{Sr}_{1-x}\text{S:Ce}$ thin films S.T. Lee, M. Kitagawa, K. Ichino and H. Kobayashi	656
Author index	660
Subject index	669

